GUYANA

Cutaneous and mucosal Leishmaniasis 2017

Incidence (100,000 pop.) **11.21**

Transmission

Triennium Leishmaniasis Moderate
Composite Indicator
(TLCIc 2015-2017)

Occurrence

NEW CASES 21 unspecified

(100%)

LCIc triennium*

(2015-2017)

-0.57 - 5.05 (Very intense)

-0.72 - -0.58 (Intense)

-0.82 - -0.73 (High)

-0.99 - -0.83 (Moderate)

-1.00 (Low)

* Data at the first administrative level

** The MoH reported 04 cases from unknown regions that were not included in the leishmaniasis composite indicator analysis.





AGE GROUP

0% < 5 Y/O

0% children under



GENDER

85.7% Male 14.3% Female

85.7% men over 10 years old



CROSS-BORDER

Shares borders with 3 countries

Cross-border information not available



SURVEILLANCE AND CONTROL

57.9% of the population in transmission areas

Decrease of the % of CL in children under 10 Y/O compared to the 2012-2015 baseline (Targets of the Plan of Action)



LEISHMANIA **SPECIES**

L. braziliensis L. guyanensis



LUTZOMYIA VECTORS

L. panamensis

L. umbratilis

L. anduzei

L. whitmani



PATIENT ASSISTANCE

Laboratory confirmation: 100%

Cure rate: **14.3%**

% of cured patients among the treated: 13.6%



AVAILABLE MEDICINE

Meglumine Antimoniate



SisLeish - PAHO/WHO - Data provided by the Ministries of Health -National Leishmaniasis Programs Accessed on: 01 November 2018.

N/O: No information available; Y/O: years old



